

Manufacturers of Ware Washing Equipment



Delivering consistent quality, durability and reliability.

IRMA

The Future of Clean is Here! Our innovative, low-maintenance dish machine controller reduces site visits, quantity of consumables, and the overall bottom line of ownership.

- Quick connections to pumps and electronics, incredibly flexible
- Innovative technology to assist your field technicians
- · Reduced tech support visits
- · Quick-release for fast replacement
- Custom branding capabilities
- Apple and Android App for easy programming and report generation



NoKam™

A Plug and Play Replacement for the Conventional Mechanical Cam Timer

- Configurable to run either a 90, 120 or 150 second cycle controlling the wash motor, fill valve, drain valve and chemical pumps
- Extended Fill & Flush time is available, perfect for low water pressure applications
- NoKam is much simpler to set up than the traditional cam timer, saving time and frustration



ADC-44 Conveyor

- 244 racks per hour
- Choose high-temp or low-temp models, left or right operation
- · Fully automatic with no operator controls, just insert racks
- Consumes less than half a gallon of water per rack
- · High-efficiency sustainer heaters

 Dual rinsing system with "water curtain"

 Two-stage drain/ pump filter reduces clogged jets





ADC-66

- The ADC-66 offers all of the same features as the ADC-44 plus an automatic power prewash
- Power scrap tank with ADS deep "V" design
- Overflow scrapping



ADC-44 & ADC-66 are now available in 480 volt, 3 phase, and also come in a TALL version (6" taller)

UNDERCOUNTER

HUB-40

Undercounter high-temperature dishwashing machine with built-in booster heater.

- "Extenda-Cycle" extends the cycle time to ensure 180°F/82°C final rinse
- Universal power, 208-240 volt and/or single to three phase, field convertable
- · Soft start motor helps prevent glassware breakage
- · Noise-reducing double wall design
- · Complete cycle time 90 seconds





ASQ II Glasswasher

- Full load washing saves power, water and chemicals
- Fast only 75 seconds per cycle
- · Rotating spray arm
- Divided three compartments, manual carousel
- Load next compartment, unload clean compartment during wash cycle

ET Series

"ET" Series under-counter dishwashers are perfect for bars, small restaurants, or care facilities. The raised, short-throw door reduces operator bending & fatigue, with the cleaning power of a full-size machine.

- Space-saving design
- 90-second cycle time
- 1.7 gallons of water consumption per rack
- · Automatic chemical feed
- 3" taller door version available
- · High-capacity glass washer



DISHWASHERS

HT-25

The HT-25 washes faster while using less chemical, water and utility cost. Its versatile design is powerful and user friendly, built for speed and flexibility.

- Corner or in-line configuration
- Optional built-on 70 degree rise booster
- Patented self-cleaning spray system
- · Auto fill & auto shut off
- Built-in scrap accumulator
- · .85 gallons per rack
- 18" door opening



HT-34

- 72-second time cycle
- Optional built-in 70 degree rise booster
- Patented self-cleaning spray system
- · Auto fill and auto shut off
- ADS patented low-water tank clean
- Built-in scrap accumulator
- 1.23 gallons per rack
- 23" door opening

5AG-ES/5AG-S

Double-rack models multiply performance for the 90-second cycle, over 800 dishes per hour! In the 5AGES version, cleaning power and Energy Star performance are available, all while utilizing Low Temp sanitizing.

- Dual rack operation with twin pumps, motors, intakes & sumps
- · Low-energy operation
- 74 racks per hour
- · Automatic chemical delivery
- Sheet pan capabilities
- On 120v, 40-amp for 5AG-S, 30-amp for 5AGES







AFB Bakery Dishwasher

The AFB is ideal for tall wares like pots, pans & sheet pans (when used with proper stainless-steel rack.) Its quality construction and reliability make it a time-saving solution for your needs, including glassware & flatware.

- 27.5" door opening with safety cut-off switch
- · Standard stainless steel sheet pan rack
- Automatic chemical delivery

AWS/AWS-H Series

- Under 1 gallon of water per rack
- ENERGY STAR® RATED
- 20-amp, 115 volt electrical supply
- Powerful Stainless pump with upper & lower rotating spray arms
- Choose from 90, 120 or 150-second cycle time
- Full 19" door opening
- High pressure, 1.5 HP pump
- Automatic chemical delivery

Over / Under Shelf / Booster optional



AF-3D-S/AFES

- Greater door clearance 20.5"
- Quick service 1.5 HP pump
- Quick release spray arms
- Stainless steel air gap backflow
- · Simple to clean
- AFES is rated ENERGY STAR®





L Series

The "L" series is the smart choice for speed & value. It is a convertible design, with only two doors opening in either direction for corner or pass through configurations. Gauges, controls, and serviceable parts are easily visible and accessible.

- 1.2 gallons of water consumption per rack
- Standard 90-second cycle, 72-second cycle optional
- Built-in scrap accumulator
- Two-stage drain/pump filter
- · Automatic chemical delivery





We pride ourselves on providing efficient, high quality equipment.

900 Blake Street, Edwardsville, Kansas, 66111

Phone: 913.422.3700 | Toll-Free: 800.922.2178 | Fax: 913.422.6630

orders@americandish.com | americandish.com

